Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 10, July 11, 2013

For the Period July 2 to 8, 2013

Warm weather has helped to advance both crop development and haying progress. Saskatchewan livestock producers have 17 per cent of the 2013 hay crop cut and eight per cent baled or put into silage, according to Saskatchewan Agriculture's weekly Crop Report. Ninety per cent of the provincial hay crop is rated as good to excellent in quality.

One year ago
Fourty-four per cent of the 2012 provincial hay crop was cut and 20 per cent was baled or put into silage. Ninety-two per cent was rated as good to excellent in quality.

Follow the 2013 Crop Report on Twitter @SKGovAg

The majority of fall cereals are in the heading to dough stages of crop development while most spring cereals are in the jointed to heading stages. The majority of pulse crops are in the vegetative to flowering stages and flax crops are mostly in the seedling to flowering crop stages. Most canola and mustard crops are in the rosette to flowering stages of development.

Most parts of the province received large amounts of rain last week which has damaged some crops. Hail, wind and insects such as cabbage seedpod weevil have also caused damage in some areas. There have been reports of disease damage in some areas, specifically cereal leaf diseases and root rot.

Across the province, topsoil moisture on crop land is rated as 20 per cent surplus, 78 per cent adequate and two per cent short. Hay land and pasture topsoil moisture is rated as 12 per cent surplus, 85 per cent adequate and three per cent short.

Livestock water availability is adequate and pasture conditions are rated as 32 per cent excellent, 62 per cent good and six per cent fair.

Farmers are busy haying and controlling pests.

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Livestock producers have 15 per cent of the hay crop cut and 10 per cent baled or put into silage. Hay quality at this time is rated as 25 per cent excellent, 67 per cent good and eight per cent fair. Pasture conditions are rated as 44 per cent excellent, 53 per cent good and three per cent fair. Availability of livestock water is reported to be adequate throughout the region.

Cropland topsoil moisture is rated as 27 per cent surplus, 70 per cent adequate and three per cent short. Hay land and pasture topsoil moisture is rated as 14 per cent surplus, 81 per cent adequate and 5 per cent short. CD 2B is reporting that 48 per cent of the crop land and 34 per cent of hay and pasture lands have surplus moisture at this time.

Almost all areas in the southeast received some rain this week. The Moose Jaw area received 56 mm of rain, the Indian Head area received 33 mm, the Pense area 34 mm, the Wilcox area 28 mm, the Whitewood area 26 mm, the Redvers area 25 mm, the Radville area 23 mm, the Weyburn area 22 mm and the Grenfell area 19 mm. The Redvers area has received the greatest amount of precipitation since April 1 (351 mm).

The majority of crop damage reported this week was from localized flooding, whereas some areas report that rain would be needed to help crops mature. Hail and wind damage to crops was also reported in some areas. Crop damage from insects such as wheat midge, flea beetles, alfalfa weevil, cutworms and grasshoppers; and from diseases such as cereal leaf diseases, sclerotinia, fusarium head blight and ascochyta blight were reported.

Crops are growing and farmers are busy spraying for insects and diseases.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Twenty-five per cent of the hay crop has been cut and 12 per cent has been baled or put into silage. Hay quality at this time is rated as 13 per cent excellent, 60 per cent good, 24 per cent fair and three per cent poor. Crop reporters rate pasture conditions as 31 per cent excellent, 64 per cent good, four per cent fair and one per cent poor. There is adequate livestock water available throughout this region.

Topsoil moisture for cropland is rated as six per cent surplus, 92 per cent adequate and two per cent short. Hay land and pasture topsoil moisture is rated as three per cent surplus, 93 per cent adequate and four per cent short.

Large amounts of rainfall was received in the area this week. The Kyle area received 85 mm of rain, the Shaunavon area 79 mm, the Mortlach and Mankota areas 70 mm, the Moose Jaw area 62 mm, the Maple Creek and Cabri areas 58 mm, the Coderre area 54 mm, the Steward Valley area 49 mm, the Cadillac area 48 mm, the Gull Lake area 46 mm the Swift Current area 43 mm, the Mossbank and Webb areas 42 mm, the Eastend area 41 mm and the Rockglen area 39 mm. The Bengough area has received the greatest amount of precipitation since April 1 for both the region and the province (331 mm).

Rain delayed hay cutting and spraying in some areas this week. Most of the crop damage reported in the southwest this week is from localized flooding and hail. There was also a small amount of localized drought, wind and heat damage reported. Insect damage to crops was report from wheat midge, cabbage seedpod weevil and alfalfa weevil. Disease damage to crops this week is from rust, fusarium head blight and ascochyta blight.

Farmers are busy haying, controlling pests, hauling grain and cleaning bins.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Livestock producers in the east-central region have 16 per cent of the hay crop cut and six per cent has been baled or put into silage. Hay quality at this time is rated as 13 per cent excellent, 84 per cent good and three per cent fair. The overall conditions of pasture lands for the east-central are rated as 13 per cent excellent, 74 per cent good and 13 per cent fair. There is adequate livestock water available in this region.

Cropland topsoil moisture is rated as 16 per cent surplus, 82 per cent adequate and two per cent short. Hay land and pasture topsoil moisture is rated as nine per cent surplus, 88 per cent adequate and three per cent short. CD 5A is reporting a 20 per cent surplus in cropland topsoil moisture and a 15 per cent surplus in hay and pasture topsoil moisture.

There was rainfall throughout most of the region this past week with the Yorkton area receiving the greatest amount (114 mm). The Kamsack area received 103 mm of rain, the Craik area 60 mm, the Quill Lake area 57 mm, the Rose Valley area 56 mm, the

Holdfast area 50 mm, the Kuroki and Foam Lake areas 47 mm, the Rama, Roblin and Elfros areas 46 mm, the Jansen 45 mm, the Saltcoats area 44 mm and the Langenburg, Goodeve and Dufferin areas 40 mm. Since April 1, the Stockholm area has received the greatest amount of precipitation in the region (292 mm).

The rain over the past week has created localized flooding that has damaged crops and delayed haying. Damage from hail and winds were also reported. Crop reporters indicate that cutworms have caused crop damage, and that leaf disease in cereals, powdery mildew in peas and sclerotinia in canola are present and being sprayed for. The rain and humid conditions over the past week have been ideal for disease development.

Farmers are busy spraying fungicides and cutting hay.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7 – Rosetown, Kindersley, Eston, Major, Kerrobert, Macklin, Wilkie and Biggar areas)

Twenty-two per cent of the hay crop has been cut and 11 per cent has been baled or put into silage in the west-central region. Hay quality at this time is rated as 23 per cent excellent, 69 per cent good and 8 per cent fair. Pasture conditions are rated 36 per cent excellent, 58 per cent good and 6 per cent fair. Crop reporters indicate that 96 per cent of livestock have adequate water availability.

Cropland topsoil moisture is rated as eight per cent surplus, 88 per cent adequate and four per cent short. Hay land and pasture topsoil moisture is rated as seven per cent surplus, 89 per cent adequate and four per cent short. CD 7B is indicating that seven per cent of cropland and eight per cent of hay and pasture land is short of moisture.

The west-central had a varying amount of rainfall this last week. The Dismore area received 59 mm of rain this past week, the Outlook area 39 mm, the Hanley area 34 mm, the Rosetown area 28 mm, the Hague area 26 mm, the Biggar area 23 mm and the Darley area 18 mm. Since April 1, the Major area has received the greatest amount of precipitation (227 mm).

The majority of crop damage this week was due to localized flooding, leaf disease in cereals, and sclerotina in canola. Some cutworm damage to crops was also reported. Many crops are looking lush but many have also been set back by wet weather and disease. Producers are applying fungicides; however, there are reports of fungicide shortages in the region. There has been a delay in haying due to the wet weather.

Farmers are busy spraying for disease, haying and hauling grain.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Livestock producers in the northeastern region have seven per cent of the hay cut and five per cent has been baled or put into silage. Hay quality at this time is rated as 44 per cent excellent and 56 per cent good. Twenty-five per cent of pasture lands are rated as in excellent condition, 64 per cent are rated in good condition and six per cent are rated as in fair condition. There is adequate livestock water available throughout this region.

Topsoil moisture conditions on cropland are rated as 66 per cent surplus and 34 per cent adequate. Hay land and pasture topsoil moisture is rated as 70 per cent surplus and 30 per cent adequate. Excess moisture is prevalent in the northeast with CD's 8A and 9AW reporting more surplus moisture than adequate moisture in both cropland and hay and pasture land.

The region received more rainfall again this past week, with the Star City area reporting 108 mm. The Bruno area received 57 mm, the Codette area 54 mm, the Humboldt area 52 mm, the Melfort area 51 mm, the Lake Lenore and Birch Hills areas 50 mm, the Garrick area 48 mm, the Tisdale area 45 mm and the Avena area 44 mm. The Bruno area has received the greatest amount of precipitation since April 1 (258 mm).

There is a lot of localized flood damage reported again this week as the weather continues to be wet. With the rain, wind damage has also been reported and the moisture condition has been ideal for disease development. Crop Reporters indicate that Fusarium head blight and cereal leaf diseases are causing crop damage in the region. There has been crop damaged reported from grasshoppers. Warm weather is needed for crops to dry and spraying to resume as many field are too wet to access.

Farmers are spraying field, hauling grain and haying.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Eleven per cent of the hay has been cut and two per cent has been put into bales or silage. The quality of the hay is 43 per cent excellent and 57 per cent good at this time. Pasture conditions are rated as 34 per cent excellent, 63 per cent good and 3 per cent fair. There is adequate livestock water throughout the region.

Topsoil moisture conditions on cropland are rated as 11 per cent surplus and 89 per cent adequate. Hay land and pasture topsoil moisture is rated as seven per cent surplus, 92 per cent adequate and one per cent short.

Most of the region received rainfall again this week with the Meadow Lake area reporting 103 mm. The Rapid View area received 67 mm of rain, the North Battleford area 40 mm, the St. Walburg area 29 mm, the Dorintosh, Barthel and Rabbit Lake areas 14 mm and the Pierceland and Duck Lake areas 13 mm. Since April 1, the Meadow Lake area has received the greatest amount of precipitation (269 mm).

Localized flooding and wind damage to crops was reported again this week for the northeast. Grasshopper damage was noted in many different areas as well as some reports of cutworm damage. There are reports of yellowing crops in many areas from root rot. Warm weather is needed for producers to hay and finishing spraying their crops.

Farmers are busy haying, moving cattle, spraying, cleaning bins and hauling grain.

Saskatchewan Average Crop Development (per cent at each stage of the crops that have been seeded)					
Spring Cereals	**Emerge**	**Tillering**	**Jointed**	**Shotblade**	**Heading**
July 8/13	**1**	**13**	**32**	**39**	**15**
Southeast	1	14	28	40	17
Southwest	1	9	26	43	21
East central	1	12	34	40	13
West central	2	17	30	40	11
Northeast	0	17	37	30	16
Northwest	1	11	39	37	12
Flax	**Emerge**	**Seedling**	**Stem ext**	**Flowering**	**Boll**
July 8/13	**2**	**22**	**63**	**12**	**1**
Southeast	3	23	57	16	1
Southwest	3	22	61	14	0
East central	0	19	76	5	0
West central	12	33	49	6	0
Northeast	0	22	75	3	0
Northwest	0	30	60	10	0
Canola & Mustard	**Emerge**	**Seedling**	**Rosette**	**Flowering**	**Podded**
July 8/13	**1**	**9**	**36**	**53**	**1**
Southeast	2	9	29	60	0
Southwest	0	1	17	80	2
East central	1	7	36	55	1
West central	0	3	32	65	0
Northeast	0	23	44	32	1
Northwest	0	8	49	43	0
Pulse Crops	**Emerge**	**Vegetative**	**Flowering**	**Podding**	
July 8/13	**1**	**34**	**62**	**3**	
Southeast	2	47	51	0	
Southwest	2	27	66	5	
East central	1	29	70	0	
West central	1	35	62	2	
Northeast	0	72	28	0	
Northwest	0	49	50	1	
Fall Crops	**Tillering**	**Jointed**	**Shot blade**	**Heading**	**Dough**
July 8/13	**1**	**1**	**10**	**72**	**16**
Southeast	0	0	12	74	14
Southwest	1	1	4	69	25
East central	0	0	14	80	6
West central	0	0	2	53	45
Northeast	11	15	17	52	5
Northwest	0	0	17	64	19

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending July 8, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 10, 2013

© 2013 Government of Saskatchewan

Weekly Rainfall

for the week ending July 8, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 10, 2013

© 2013 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period July 2 to 8, 2013

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	N/A	196
	3	Enniskillen	NIL	216
	33	Moose Creek	N/A	140
	34	Browning	14	138
	61	Antler	25	351
	63	Moose Mountain	9	203
	64	Brock	8	111
	65	Tecumseh	2	188
1B	91	Maryfield	5	176
	92	Walpole	N/A	80
	122	Martin	NIL	288
	123	Silverwood	26	223
	124	Kingsley	14	149
	125 A	Chester	6	190.7
	125 B	Chester	2	168
	151 A	Rocanville	7	180
	151 B	Rocanville	5	179
	153	Willowdale	N/A	N/A
	154	Elcapo	11	209
	155 A	Wolseley	19	208
	155 B	Wolseley	5	169
2A	67	Weyburn	NIL	210
	68	Brokenshell	1	241
	97	Wellington	22	155
	99	Caledonia	N/A	N/A
2B	127 A	Francis	11	187.5
	127 B	Francis	12.6	155.6
	129	Bratt's Lake	28	164.5
	131 A	Baildon	20	242
	131 B	Baildon	85	257
	156 A	Indian Head	27	181.5
	156 B	Indian Head	39	260
	160 A	Pense	N/A	176
	160 B	Pense	34	187.5
	161	Moose Jaw	49	227
	162	Caron	33	196.7
	191	Marquis	39	117
3ASE	38 A	Laurier	12	270
	38 B	Laurier	10	209
	39 A	The Gap	N/A	198
	39 B	The Gap	23	259
3ASW	10	Happy Valley	36	193
	11	Hart Butte	N/A	205.3
	12	Poplar Valley	20	213
	40 A	Bengough	18	243
	40 B	Bengough	18	331
	42	Willow Bunch	N/A	190
	43 A	Old Post	39	242
	43 B	Old Post	N/A	N/A
	70	Key West	N/A	84.3
	71	Excel	25	193
	72 A	Lake of the Rivers	N/A	N/A
	72 B	Lake of the Rivers	N/A	NIL
	73 A	Stonehenge	28.2	261.6
	73 B	Stonehenge	18	250
	74 A	Wood River	39.5	249
	74 B	Wood River	N/A	3
	74 C	Wood River	N/A	N/A
3AN	101	Terrell	24	179
	102	Lake Johnston	42.2	146.5
	103 A	Sutton	30	187
	103 B	Sutton	N/A	N/A
	132 A	Hillsborough	70	215.5
	132 B	Hillsborough	62.5	189.9
	134	Shamrock	54	247
	164 A	Chaplin	31.5	160.5
	164 B	Chaplin	N/A	N/A
	193 A	Eyebrow	32	129
	193 B	Eyebrow	29	158.2
	194	Enfield	N/A	N/A
	224	Maple Bush	17	146.5
3BS	17 A	Val Marie	48	278
	17 B	Val Marie	N/A	N/A
	45	Mankota	70	294.5
	75 A	Pinto Creek	33	204
	75 B	Pinto Creek	25	213
	76	Auvergne	35	192
	77	Wise Creek	47	260
	78 A	Grassy Creek	93	280
	78 B	Grassy Creek	48	249.5
	105	Glenbain	17	182
	106	Whiska Creek	23	166
	107 A	Lac Pelletier	N/A	154
	107 B	Lac Pelletier	N/A	43.5
	108	Bone Creek	88	266

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
3BN	138 A	Webb	42	219
	138 B	Webb	43.2	182.5
	166 A	Excelsior	24	192
	166 B	Excelsior	N/A	N/A
	167	Sask. Landing	49.4	173.6
	168 A	Riverside	22	196
	168 B	Riverside	57.9	234.5
	226 A	Victory	32	134
	226 B	Victory	N/A	30
	228	Lacadena	36	165.5
	255	Coteau	29	125.9
	257	Moniet	85	196.6
4A	19	Frontier	N/A	N/A
	49	White Valley	41	199
	51 A	Reno	27.4	164.9
	51 B	Reno	N/A	N/A
	79	Arlington	88	306
	109	Carmichael	44	165.5
	110	Piapot	35	173
	111	Maple Creek	82	215
4B	139	Gull Lake	49.8	175.8
	141	Big Stick	39	151
	142	Enterprise	64	212
	169	Pittville	24	187
	231	Happyland	13	142
5A	183 A	Fertile Belt	13	292.5
	183 B	Fertile Belt	N/A	197.5
	186	Abernethy	26	137
	211	Churchbridge	40	180
	213	Saltcoats	44	198
	214	Cana	N/A	25
	216	Tullymet	8	143.3
	217 A	Lipton	N/A	N/A
	241	Calder	46	196
	243	Wallace	114	228
	245 A	Garry	N/A	72
	245 B	Garry	40	148
	245 C	Garry	40	139
	246	Ituna Bon Accord	16	122
	247	Kellross	37	145
	248	Touchwood	11	112
5B	271	Cote	103	234
	273	Sliding Hills	N/A	83.5
	277	Emerald	47	153
	305	Invermay	46	196.5
	307	Elfros	46	161
	308 A	Big Quill	35	141
	308 B	Big Quill	29	153
	331	Livingston	42	212
	333	Clayton	N/A	39
	334	Preeceville	18	107.2
	336	Sasman	47	114
	337 A	Lakeview	45	178
	337 B	Lakeview	N/A	21.5
	338	Lakeside	70	208
	366	Kelvington	16	156
	367	Ponass Lake	55.9	178.2
6A	190 A	Dufferin	30	140
	190 B	Dufferin	41	146.5
	190 C	Dufferin	35	167
	190 D	Dufferin	N/A	42
	190 E	Dufferin	40	40
	219	Longlaketon	21	162
	220	Mckillop	31	190
	221	Sarnia	50.4	164.9
	222	Craik	60	193
	251	Big Arm	18	183
	252	Arm River	N/A	145
	279	Mount Hope	16	148
	282	McCraney	42	193
	309	Prairie Rose	45	216
	310	Usborne	N/A	N/A
	313	Lost River	N/A	N/A
	339	Leroy	54.8	231.1
	340	Wolverine	51	276
	341	Viscount	N/A	230
	343 A	Blucher	25	213.8
	343 B	Blucher	25.4	95.4
6B	283	Rosedale	33	193.5
	284	Rudy	39	176
	285	Fertile Valley	28	142
	286	Milden	59	143
	314	Dundurn	36	201
	344	Corman Park	4	117
	346	Perdue	N/A	147
	376 A	Eagle Creek	NIL	136
	376 B	Eagle Creek	3	164
	403 A	Rosthern	26	170
	403 B	Rosthern	17	210

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7A	259	Snipe Lake	17.5	134.5
	260 A	Newcombe	N/A	105
	260 B	Newcombe	8	112
	261	Chesterfield	N/A	56
	287	St. Andrews	36	172
	288	Pleasant Valley	20	160
	290 A	Kindersley	13	139.5
	290 B	Kindersley	NIL	50.5
	290 C	Kindersley	5	144.5
	292	Milton	10	180
	317 A	Marriott	N/A	53
	317 B	Marriott	11	158
	317 C	Marriott	N/A	N/A
	318	Mountain View	19	190
	320 A	Oakdale	NIL	120.5
	320 B	Oakdale	1	121
	321	Prairiedale	2	100
7B	347 A	Biggar	NIL	164
	347 B	Biggar	25	159.5
	350 A	Mariposa	NIL	104
	350 B	Mariposa	NIL	161
	351	Progress	N/A	124
	352	Heart's Hill	NIL	227
	377	Glenside	1	170
	378 A	Rosemount	27	139
	378 B	Rosemount	1	179
	379	Reford	2	118
	381	Grass Lake	12	154.1
	382	Eye Hill	5	158
	409 A	Buffalo	N/A	209
	409 B	Buffalo	N/A	N/A
	410	Round Valley	12.2	132.1
	411	Senlac	N/A	N/A
8A	395	Porcupine	24	131
	397	Barrier Valley	N/A	131.9
	428	Star City	108	238
	456	Arborfield	23	137
	457	Connaught	45	199
	458	Willow Creek	54	161
	486	Moose Range	36	175
	487 A	Nipawin	39	154
	487 B	Nipawin	N/A	N/A
8B	369	St. Peter	33	173
	370	Humboldt	24	186
	371	Bayne	57	258
	372	Grant	72.1	307.2
	400 A	Three Lakes	2.5	2.5
	400 B	Three Lakes	50	230
	402	Fish Creek	44	241
	429	Flett's Springs	51	234
	431	St. Louis	N/A	N/A
	459	Kinistino	38	234
	460	Birch Hills	50	192.1
9AE	461	Prince Albert	N/A	22.4
	488	Torch River	48	204
	491	Buckland	N/A	183
9AW	406	Mayfield	3	181
	435	Redberry	5	171
	436	Douglas	NIL	156
	463	Duck Lake	13	250
	466	Meeting Lake	N/A	N/A
	467 A	Round Hill	40	228
	467 B	Round Hill	14	170
	494	Canwood	N/A	N/A
	496 A	Spiritwood	N/A	N/A
	496 B	Spiritwood	N/A	115.9
	497	Medstead	12	217
9B	438	Battle River	10	235
	440	Hillsdale	N/A	160
	442	Manitou Lake	1.3	248.4
	498 A	Parkdale	21	149
	498 B	Parkdale	16	147
	499 A	Mervin	6	210.4
	499 B	Mervin	N/A	23.5
	501 A	Frenchman Butte	29	181
	501 B	Frenchman Butte	30	174
	501 C	Frenchman Butte	5	127
	502 A	Britannia	N/A	N/A
	502 B	Britannia	7	153
	561	Loon Lake	14	139
	588 A	Meadow Lake	32	183
	588 B	Meadow Lake	67	224
	588 C	Meadow Lake	103	269
	588 D	Meadow Lake	14.5	147
	588 E	Meadow Lake	N/A	N/A
	622	Beaver River	13	133.5

Municipality No: A, B, C, D and E - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2013
To: July 8, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 10, 2013

© 2013 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

July 9, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 10, 2013

© 2013 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

July 9, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 10, 2013

© 2013 Government of Saskatchewan